



Attorney Docket No. 1761.1004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Yasuhiro GOTOU et al.

Application No.: 09/880,931

ATTENTION

Confirmation No.: 5681

CERTIFICATE OF CORRECTION

Filed: June 15, 2001

BRANCH

U.S. Patent No.: 6,983,207

Issued: January 3, 2006

For: MACHINE COMPONENT MONITORING, DIAGNOSING AND SELLING SYSTEM

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Certificate
APR 10 2006
of Correction

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 USC § 254 and 37 CFR § 1.322, to correct the error(s) shown on the attached Form PTO-1050. A check in the amount of \$100 to cover the cost of the Certificate is attached.

One or more of the errors shown on the attached Form PTO-1050 is or are within the responsibility of the applicants; each thereof is of a clerical or typographical nature or of minor character and occurred in good faith, and the correction thereof is consistent with the prosecution record.

Respectfully submitted,

STAAS & HALSEY LLP

04/06/2006 JADD01 00000085 6983207

01 FEB 18 11

100.00 OP

Date: April 4, 2006

By: David M. Pitcher
David M. Pitcher
Registration No. 25,908

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

APR 11 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,983,207

DATED : January 3, 2006

INVENTOR(S) : Yasuhiro GOTOU et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Page 1, Column 2 (Abstract), Line 13, delete "sensors" and insert -- sensor -- therefor.

Column 33, Line 12, after "unit" insert - - . - - .

Column 36, Line 63, delete "property" and insert - - properly - - therefor.

Column 37, Line 14, delete "property" and insert - - properly - - therefor.

Column 37, Line 44, delete "Information" and insert - - information - - therefor.

Column 38, Line 58, after "unit" insert - - ; - - .

Column 39, Line 25, delete "sensor;" and insert - - sensor, - - therefor.

Column 40, Line 48, delete "sensor," and insert - - sensor; - - therefor.

Column 40, Line 48, begin new paragraph after "and" and before "said control unit".

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 6,983,207

No. of add'l copies
@ 304 per page

⇒

APR 11 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,983,207

DATED : January 3, 2006

INVENTOR(S) : Yasuhiro GOTOU et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Page 1, Column 2 (Abstract), Line 13, delete "sensors" and insert -- sensor -- therefor.
Column 33, Line 12, after "unit" insert -- . -- .
Column 36, Line 63, delete "property" and insert -- properly -- therefor.
Column 37, Line 14, delete "property" and insert -- properly -- therefor.
Column 37, Line 44, delete "Information" and insert -- information -- therefor.
Column 38, Line 58, after "unit" insert -- ; -- .
Column 39, Line 25, delete "sensor;" and insert -- sensor, -- therefor.
Column 40, Line 48, delete "sensor," and insert -- sensor; -- therefor.
Column 40, Line 48, begin new paragraph after "and" and before "said control unit".

MAILING ADDRESS OF SENDER:
STAAS & HALSEY LLP
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 6,983,207

No. of add'l copies
@ 304 per page

⇒

APR 11 2006